Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		flashlight with thermo\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/05 12:55
		work with light with thermo\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/05 12:51
L1	946	(116/207,216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 14:35
L2	1104	(374/161,162).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/09 14:36
S1	7	(("4717710") or ("4919983") or ("4957949") or ("5431697") or ("5720555") or ("6174319") or ("6241289")).PN.	USPAT; USOCR	OR	OFF	2002/06/11 07:59
S2	0	worklight with thermo\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/05 12:50
S3 '	28	thermochromic with warning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/05 13:16
S4	6	matsui with international with company	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/05 13:32
S5	5	(("4952033") or ("4878588") or ("2199981") or ("4538926") or ("5482373")).PN.	USPAT; USOCR	OR	OFF	2002/06/11 08:02
S6	2	GB-2199981-A.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 08:07

	T	T		Υ	η	T
S7	258	(116/207).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/13 08:55
S8	433	(116/216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/06/11 10:44
S9	3	(("3893340") or ("3405678") or ("0339247")).PN.	USPAT; USOCR	OR	OFF	2002/06/11 10:44
S10	788	light with hot and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 13:59
S11	29	light with hot and "116"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 14:05
S12	86	light with heat and "116"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2002/06/11 14:32
S13	9	heat with danger and "116"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 14:24
S14	2650	light with heat and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 14:33
S15	21	light with heat with danger and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2002/06/11 14:37
S16	23	light with heat with touch and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 14:46

S17	1	light with heat with touch and "116"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 14:47
S18	207	light with heat with touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 14:47
S19	11	light with heat with indicat\$4 and "116"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 14:49
S20	307	heat with indicat\$4 and "116"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 14:51
S21	0	metal with hot and "116"/\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:01
S22	0	cover with hot and "116"/\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:01
S23	0	hot with metal and "116"/\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:02
S24	0	heat with metal and "116"/\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:02
S25	1295	heat with metal with indicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:04
S26	0	heat with metal with indicat\$4 and "362"/\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR:	ON	2002/06/11 15:05

S27	0	heat with metal with indicat\$4 near touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:06
S28	132	metal with hot with touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:17
S29	113	work with light with hot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:23
S30	18	work adj light with halogen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:27
S31	6	work adj lamp with heat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:31
S32	20 [°]	work adj light with heat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:32
S33	0	work adj lamp with hot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2002/06/11 15:33
S34	15	work adj light with hot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:32
S35	5720	lamp with hot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:33
S36	32	lamp with hot with touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:34

	,			····		
S37	75	light with hot with touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:41
S38	14	light with hot with indicia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:44
S39	3	lamp with hot with indicia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:43
S40	102	light with heat with indicia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:45
S41	72	lamp with heat with indicia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/11 15:48
S42	416	(374/162).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/06/12 09:25
S43	552	kataoka-akira.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/06/12 09:27
S44	2	("3893340").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/13 11:47
S45	658	(116/207,216).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/30 15:57

S46	438	(374/162).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/30 16:06
S47	0	(2002/0097777).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 12:33
S48	2	("20020097777").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 12:38
S49	27	chromatic adj technologies	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 12:44
S50	0	chromatic-technologies.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 12:44
S51	0	chromatic-technologies-incorporate d.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 13:00
S52	5	chromatic-tech\$.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 12:45
S53	103	thermochromic and indicia and clear	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 13:05
S54	2	("5499597").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 13:14

	T	-				T
S55	2	gb-2328743-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:09
S56	0	ep adj "0625700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:09
S57	0	epo with "0625700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:09
S58	0	ep with "0625700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:09
S59	0	epo with "625700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:10
S60	2	("4268413").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:10
S61	0	epoxy and moderator and thermochromic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:10
S62	489	epoxy and thermochromic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:11
S63	17	epoxy and thermochromic and "116"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:11
S64	· 22	epoxy and thermochromic and "374"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:18

					,	
S65	3	(printed adj circuit adj board) and thermochromic and "116"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/26 18:18
S66	2	(printed adj circuit adj board) and thermochromic and "374"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	·OR	OFF	2004/04/26 18:19
S67	28	chromatic adj technologies	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 17:05
S68	10	Icd and display and (moderator or thermal) and "116"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 17:06
S69	110	lcd and display and (moderator or thermal) and "374"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 17:18
S70	1431	oven and warning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 17:18
S71	22	oven and warning and thermochromic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 17:18
S72	156	(219/445.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 17:46
S73	451	(219/445.1,446.1,448.11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 17:46
S74	12	thermochromic and ((219/445.1, 446.1,448.11).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 17:49

S75	16	(liquid adj crystal) and ((219/445.1, 446.1,448.11).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 18:14
S76	580	(liquid adj crystal) and hot and appliance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/27 18:15
S77	2	("4268413").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/07 16:07
S78	2	gb-2328743-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/07 16:08
S79	0	ep with "0625700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/07 16:08
S80		epo with "0625700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/07 16:08
S81	0	epo and "0625700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/07 16:08
S82	0	ep and "0625700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/07 16:08
S83	7	ep and "625700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/07 16:08
S16 1	2	(("6104007") or ("4983810")).PN.	USPAT	OR	OFF	2005/01/10 14:06

S16 2	9	liquid adj crystal with ink and "116"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 14:08
S16 3	9	thermochromic adj liquid adj crystal with ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 14:08
S16 4	4	thermochromic adj coating adj composition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 10:52
S16 5	75	thermochromic adj substance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/01/12 10:58
S16 7	1694	thermochromic and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:04
S16 8	204	thermochromic and heat and label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:22
S17 9	91	thermochromic and heat and tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:22
S18 0	48	thermochromic and heat and hot and tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:23

S18 1	48	thermochromic and heat and hot and tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:24
S18 5	85266	high adj temperature and (tool machine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:37
S18 6	4812	high adj temperature and (tool machine) and indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:37
S18 7	1031	high adj temperature and (tool machine) and indicator and label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:38
S18 8	15	high adj temperature and (tool machine) and indicator and label and "116"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 11:38
S18 9	36	telatemp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:03
S19 3	16	telatemp.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:04
S19 4	8	telatemp and label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:04
S19 6	0	thermachromic adj coating	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/24 14:18

S19 7	81	thermochromic adj coating	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/24 14:27
S19 8	187	thermochromic adj ink	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/24 14:27
S19 9	56	thermochromic adj ink and label	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/24 14:27